

Page 1/5

Date: 02/05/2017

OPEX C-REAL

SECTION 1 Identification of substance/mixture and of the company/undertaking

Identification of the Product : Opex C-Real
Type of product : Liquid Fertilizer
Use : Agriculture

Company identification : Opex Holding (Pvt) Ltd.

No. 74, Union Place, Colombo 02. Sri Lanka Tel: +94 11 5545505 Fax: +94 11 2303842

Web: opexholding.com

SECTION 2 Hazards identification

Symptoms relating to use

- inhalation : This product is not hazardous

- Skin contact : Not expected to present a significant skin hazard under anticipated

conditions of normal use

- Eye contact : Not expected to present a significant eye contact hazard under

anticipated conditions of normal use

- Ingestion : Ingestion unlikely. No significant signs or symptoms indicative of

any adverse health hazard are expected to occur as a result of

ingestion

SECTION 3 Composition/Information on ingredients

 N
 Zn

 K2O
 S

 P205
 Mn

 MgO
 Cu

В

SECTION 4 First aid measures

First aid measures

- Inhalation : Assure fresh air breathing

Skin contactEye contactWash skin with mild soap and waterRinse immediately with plenty of water

- Ingestion : If person is conscious, rinse mouth thoroughly with water

immediately and give water or milk to drink DO NOT induce vomiting. Seek medical assistance. If more than a small quantity has been swallowed or if there is pain or difficulty with swallowing

No. 74, Union Place, Colombo 2, Sri Lanka. Tel: +94 11 5545505 Fax: +94 11 2303842



Page 2/5

Date: 02/05/2017

OPEX C-REAL

SECTION 5 Firefighting measures

Flammability conditions : Non flammable and does not support combustion Extinguishing media : Extinguish fires with a large amount of water

Personal protective equipment : No data available Flash point : No data available Lower explosion limit : No data available Upper explosion limit : No data available Auto ignition temperature : No data available Hazchem code : No data available

SECTION 6 Accidental release measures

Personal precautions : Spill should be handled by trained cleaning personnel properly

equipped with respiratory and eye protection

Environmental precautions : Prevent entry to sewers and public waters

Notify authorities if product enters sewers or public waters

Clean up methods : Collect spills and put it into appropriated container

SECTION 7 Handling and storage

General : Handle in accordance with good industrial hygiene and safety procedures

Personal protection : Avoid all unnecessary exposure. Ensure prompt removal from eyes,

skin and clothing

Technical protective measures : Both local exhaust and general room ventilation are usually

required

Storage : Keep only in the original container in a cool well ventilated place.

Store away from heat/moisture

Prevent contamination by irrelevant materials

Avoid

Reducing agents, alkalis, finely divided metals

Strong acids
Oxidizing agent

Handling : Keep away from food, drink and animal feeding stuffs. Wash hands

and other exposed areas with mild soap and water before eat,

drink or smoke and when leaving work

SECTION 8 Exposure controls/personal protection

Personal protection

- Respiratory protection : Wear approved mask

No special respiratory protection equipment is recommended

under normal conditions of with adequate ventilation

- Hand protection : Gloves

- Skin protection : No special clothing/skin protection equipment is recommended

under normal conditions of use

- Eye protection : Even though no specific eye irritation data is available, wear eye

protection appropriate to conditions of use when handling this

material

- Ingestion : When using do not eat drink or smoke

Industrial : Provide local exhaust or general room ventilation

Opex Holding (Pvt) Ltd

No. 74, Union Place, Colombo 2, Sri Lanka. Tel: +94 11 5545505 Fax: +94 11 2303842



Page 3/5

Date: 02/05/2017

OPEX C-REAL

SECTION 9 Physical and chemical properties

Physical state : Liquid
Appearance : Blue Liquid

Odour : Slight Pungent Odour

Colour : Blue Liquid pH of 5% solution : Acidic

Vapour Pressure : Does not exert significant vapour pressure

Relative Vapour Density : No Data Available

Boiling/Melting Point : >100 C

Freezing Point : No Data Available Evaporation Rate : No Data Available

Solubility : Miscible in all proportions with water

Specific Gravity : Extremely High
Volatile Percent : No Data Available
Flammability : Not Flammable

Flash point : Not relevant, does not give off flammable vapour

Auto Ignition Temp : No Data Available

SECTION 10 Stability and reactivity

Stability and reactivity : Stable under normal conditions Hazardous reactions : None under normal conditions

Materials to avoid : Strong acids, Oxidizing agent, Reducing agents, alkalis,

finely divided metals, organic materials

Conditions to avoid : Heat

Open flame

Prevent contamination by irrelevant materials

SECTION 11 Toxicological Information

General Information : Opex C-Real Liquid Fertilizer has low toxicity. Use safe work,

practices to avoid eye or skin contact and mist inhalation.

Prolonged or repeated exposure may cause drying of the skin with

cracking and irritation that may lead to dermatitis.

Target Organs : Respiratory system, eyes and skin. Routes of Entry Ingestion or

Inhalation

Eye Irritant : May cause irritation, redness and pain following contact

Ingestion : Presents moderate toxicity unless large amounts are ingested.

Large amounts give rise to gastro-intestinal irritation with

symptoms such as nausea, vomiting and diarrhoea. Large amounts may also cause dilation of blood vessels by direct smooth muscle relaxation and methaemoglobinaemia (excessive conversion of haemoglobin to methaemoglobin, which is incapable of binding and carrying oxygen - methaemoglobin is formed when iron in the haem

molecule is is oxidised from the ferrous to the ferric state). symptoms include dizziness, abdominal pain, vomiting, bloody

diarrhoea, weakness convulsions and collapse

Opex Holding (Pvt) Ltd

No. 74, Union Place, Colombo 2, Sri Lanka. Tel: +94 11 5545505 Fax: +94 11 2303842



Page 4/5

Date: 02/05/2017

OPEX C-REAL

Inhalation : High mist concentration of air-bone material may cause irritation to

the nose and upper respiratory track. Symptoms may include coughing and sore throat prolong exposure may harmful

Skin Irritant : Prolonged may contact cause some irritation, including redness and

itching. No harmful

SECTION 12 Ecological Information

Environment : It is not anticipated to cause any adverse effects to plants or animals

SECTION 13 Disposal considerations

Disposal Methods and Containers : Dispose of on a farm or authorised waste facility in accordance with

statutory requirements. Contact the manufacturer if additional

information is required.

Legislation : Dispose of in accordance with relevant local legislation

SECTION 14 Transport Information

General Information : Not regulated
Land transport : Not regulated
See transport : Not regulated
Air transport : Not regulated
Not regulated

SECTION 15 Regulatory Information

ERMA Approval Code : N/A
HSNO Hazard Classification : N/A
NZ Toxic substance : N/A
AICS Name : N/A
EPG : N/A
Poisons Schedule : N/A

SECTION 16 Other Information

NOHSC National Occupational Health and Safety Commission
SUSDP Standard to the Uniform Scheduling of Drugs and Poisons
ACGIH American Conference of Government Industrial Hygienists

ES-TWA Exposure Standard - Time weighted average **ES-Stel** Exposure Standard - Short term exposure level

ES-Peak Exposure Standard - Peak level

LD Lo The lowest dose to an animal study in which lethality occurred LD50 Lethal dose 50. The single dose of a substance that causes the

death of 50% of an animal population from exposure to the

substance by any route other than inhalation

Opex Holding (Pvt) Ltd

No. 74, Union Place, Colombo 2, Sri Lanka. Tel: +94 11 5545505 Fax: +94 11 2303842



Page 5/5

Date: 02/05/2017

OPEX C-REAL

TD Lo The lowest dose of a substance known to have produced signs of

toxicity

TC Lo Lowest published toxic concentration LC Lo Lowest published lethal concentration

LC 50 Lethal concentration that kills 50% of an animal population

within specified time

t/m3 Tonnes per cubic metremg/m3 Milligrams per cubic metremg/kg Milligrams per kilogram

g/I Grams per Litre

w/v% Weight per volume percentagew/W% Weight per weight percentage

SG Specific Gravity

pH Relates to hydrogen ion concentration - this value will relate to

scale of 0-14, where 0 is highly acidic and 14 is highly alkaline

DISCLAIMER

As the use of the products described in this document is outside the control of Opex Holding (Pvt) Ltd we make no representation or warranty concerning the suitability or fitness of those products for any purpose it is your sole responsibility to ensure that the products will have the qualities and attributes that will make them fit for any ordinary or special purpose required of them, even if that purpose is made know to us at any time. This includes responsibility on your part to conduct in a timely manner all appropriate tests and quality checks on the products and any goods made from them. We disclaim any liability If any products are not suitable or fit for any such purpose.

End of document